

**CO 350/05/A**


**Technical data**

Company name  
Contact  
Phone number  
e-mail address

Performance according to ISO 9906:2012 – Grade 3B

Power datas referred to:

Water, pure [100%] ; 4°C; 1000kg/m<sup>3</sup>; 1.57mm<sup>2</sup>/s



**Operating Data Specification**

Flow	0 m <sup>3</sup> /h
Head	0 m

**Hydraulic data (duty point)**

Flow	
Head	
Max. shaft power	0.572 kW

**Pump data**

Make	Lowara
Type	CO 350/05/A
Open impeller centrifugal pump with threaded connections	
Speed	2900rpm
Head H(Q=0)	11.9 m
Suction side	
Discharge side	
Types of installation	Monobloc
Weight	11.9 kg

**Materials / seals**

Pump body	Stainless steel
Impeller	Stainless steel
SEAL HOUSING	Stainless steel
Shaft extension	Stainless steel

**Shaft Seal**

Rotating Assembly	V-Ceramic
Fixed Assembly	B-Resin impregnated carbon
Elastomers	V-FKM (FPM)
Springs	G-AISI 316
Other Components	G-AISI 316

**Motor data**

Rated power P2	0.55 kW	Nom. Speed	2835 rpm
Frequency	50	Phase	3~
Rated voltage	230 V	Rated current	2.49 A
Protection class	IP55	Insulation class	F
Permitted voltage tolerance +/- 10%			

**Dimensions mm**

D	140		
DNA	Rp 1½		
DNM	Rp 1¼		
H2	232		
L	339		
L1	76		
L2	114.5		

Note:

